


# Omega Plus


High-Performance Hybrid  
Automotive Window Films

## Optical & Solar Properties


### Ultraviolet Block



### Visible Light Transmitted



### Total Solar Energy Rejected



Performance results are calculated on 1/4" (6mm) clear glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards

**Omega Plus hybrid film delivers outstanding performance and a great look!**

**Omega Plus** high-performance hybrid films are precisely engineered from layers of aluminum and dye to give exceptional heat and glare protection with minimal mirror effect. Its cool grey appearance is guaranteed not to fade, bubble or peel, backed by a lifetime/original owner warranty.

**Omega Plus** features excellent handling, reduced drying time and controlled shrink, making it the ultimate installation-friendly film for speedy, perfect results.

Available in a range of four light transmissions, from high privacy 05% through to a subtle 35%.



# With SolarZone Automotive window films:

## Feel Cool

SolarZone automotive films filter heat and glare for a more pleasant passenger experience and reduced air-conditioning load.

## Look Cool

Choose from a variety of shades and light transmission levels to give your vehicle a custom appearance.

## Protect Yourself

SolarZone works like sunscreen to protect your skin by rejecting 99% and over of harmful UV radiation.

## Protect Your Car

Protect trim, upholstery, carpets and fittings from the heat, light and UV radiation that cause fading, so your car looks better longer and maintains its value.

## Stay Safe

SolarZone films can help reduce the risk of injury from broken glass caused by projectiles, minor accidents or road debris. If security is a concern, check out SolarZone Safe automotive films; they make vehicle glass safer, and more resistant to crime.

## Stay Private

Tinted films keep your possessions out of sight.

## Stop Squinting

Cuts glare from the sun or from headlights to reduce eyestrain on long trips and in busy city traffic.

## Omega Plus - Optical & Solar Properties

Item Number	Omega Plus 05	Omega Plus 15	Omega Plus 20	Omega Plus 35
	R05810A	R05819A	R05816A	R05815A
Visible Light Transmitted %	5	15	24	35
Visible Light Reflected %	7	6	7	7
Ultra Violet Block %	99	99	99	99
Total Solar Energy Reflected %	9	7	8	8
Total Solar Energy Transmitted %	16	27	31	39
Total Solar Energy Absorbed %	75	66	61	53
Shading Coefficient	0.43	0.53	0.56	0.64
Total Solar Energy Rejected %	64	54	51	44

MM-WF-ee-Aut-Fil-OmegaPlus-HC-152

Performance results are calculated on 1/4" (6mm) clear glass using NFRC methodology and LBNL Window 5.2 software, and are subject to variations in process conditions within industry standards

**US:** T: 800-660-5559 | info@hanitatek.com | www.hanitatek.com

**Europe:** T: +49 (0) 6142-2082 746 | info@hanita-europa.de | www.hanita-europa.de

**Australia:** T: 1300-456-700 | info@hanitapacific.com.au | www.hanitapacific.com.au

**International:** T: +972-4-985-9919 | solar@hanitacoatings.com | www.hanitacoatings.com

automotive



Hanita Coatings